

BO B0734.1	White plastic tips for 704.0 and 702.0
BO S0.0BL	VERIBOR blue line suction lifters, single cup, set of two 600.0BL lifters in case
BO S2.0BL	VERIBOR blue line suction lifters, 2 cup, set of two 602.0BL lifters in case
BO S2.4BL	VERIBOR blue line suction lifters, 2 cup, set of two 602.4BL lifters in case
BO S3.0BL	VERIBOR blue line suction lifters, 3 cup, set of two 603.0BL lifters in case
BO 026	SILBERSCHNITT cutting fluid clear, 1 litre (cam kesme yağı)
BO 027	SILBERSCHNITT cutting fluid clear, 50 ml (cam kesim yağı)
BO 029.00	L-Square, 30 cm without brace (gönye)
BO 029.5	L-Square with peg, 30 cm without brace (gönyeler)
BO 030.5	L-Square with peg , 50 cm without brace (camcı gönyesi)
BO 031.1	L-Square, 60 cm with brace (destekli gönye)
BO 031.5	L-Square with peg , 60 cm without brace (gönye)
BO 032.1	L-Square, 80 cm with brace (gönye)
BO 032.5	L-Square with peg, 80 cm without brace (gönye)
BO 033.1	L-Square, 105 cm with brace (gönye)
BO 033.5	L-Square with peg, 105 cm without brace (gönye)
BO 034.1	L-Square, 135 cm with brace (L-gönye)
BO 034.5	L-Square with peg 135 cm without brace (gönye)
BO 035.1	L-Square, 150 cm with brace (Lgönye)
BO 035.5	L-Square with peg, 150 cm without brace (L gönye)
BO 036.1	L-Square, 175 cm with brace (gönye)
BO 036.5	L-Square with peg, 175 cm without brace (gönye)
BO 037.1	L-Square, 205 cm with brace (gönye)
BO 038.1	L-Square, 250 cm with brace (gönye)
BO 042.0	Straight edge 80 cm long, 5,5 cm wide, 4 mm thick
BO 044.0	Straight edge 130 cm long, 6 cm wide, 4 mm thick
BO 045.0	Straight edge 150 cm long, 8 cm wide, 5 mm thick
BO 046.0	Straight edge 200 cm long, 8 cm wide, 5 mm thick
BO 046.1	Straight edge 200 cm long, 7 cm wide, 10 mm thick
BO 047.0	Straight edge 250 cm long, 8 cm wide, 5 mm thick

BO 047.1	<i>Straight edge 250 cm long, 7 cm wide, 10 mm thick</i>
BO 048.0	<i>Straight edge 300 cm long, 7 cm wide, 10 mm thick</i>
BO 049.0	<i>Straight edge 350 cm long, 7 cm wide, 10 mm thick</i>
BO 051.01	<i>Replacement suction pad for straight edges (yedek vantuz vakum pedleri)</i>
BO 051.152	<i>Straight edge 150 cm long, 8 cm wide, 5 mm thick, 2 cups (vantuzlu cetvel)</i>
BO 051.202	<i>Straight edge 200 cm long, 8 cm wide, 5 mm thick, 2 cups (vantuzlu düz kesim cetveli)</i>
BO 051.253	<i>Straight edge 250 cm long, 8 cm wide, 5 mm thick, 3 cups (vantuzlu düz kesim cetveli)</i>
BO 052.202	<i>Straight edge 200 cm long, 8 cm wide, 10 mm thick, 2 cups (vantuzlu kesim cetvelleri)</i>
BO 052.203	<i>Straight edge 200 cm long, 8 cm wide, 10 mm thick, 3 cups(vantuzlu düz kesim cetveli)</i>
BO 052.253	<i>Straight edge 250 cm long, 8 cm wide, 10mm.thick, 3 cups(vantuzlu düz kenar kesme)</i>
BO 052.254	<i>Straight edge 250 cm long, 8 cm wide, 10mm thick, 4 cups(vantuzlu düz kenar kesimi)</i>
BO 052.303	<i>Straight edge 300 cm long, 8 cm wide, 10 mm thick, 3 cups(vantuzlu cetvel)</i>
BO 052.304	<i>Straight edge 300 cm long, 8 cm wide, 10 mm thick, 4 cups (vantuzlu cetvel)</i>
BO 052.354	<i>Straight edge 350 cm long, 8 cm wide, 10 mm thick, 4 cups (vantuzlu cetvel)</i>
BO 052.355	<i>Straight edge 350 cm long, 8 cm wide, 10 mm thick, 5 cups (vantuzlu cetvel)</i>
BO 052.405	<i>Straight edge 400 cm long, 8 cm wide, 10 mm thick, 5 cups (vantuzlu cetvel)</i>
BO 052.455	<i>Straight edge 450 cm long, 8 cm wide, 10 mm thick, 5 cups (vantuzlu cetvel)</i>
BO 052.505	<i>Straight edge 500 cm long, 8 cm wide, 10 mm thick, 5 cups (vantuzlu cetveller)</i>
BO 052.606	<i>Straight edge 600 cm long, 8 cm wide, 10 mm thick, 6 cups (vantuzlu cetvel)</i>
BO 077	<i>Centering bracket, large (merkezleme cetvelleri, destekleri)</i>
BO 077.1	<i>Centering bracket, small (merkezleme cetveli, desteği)</i>
BO 078	<i>Corner cutting template adjustable from 45-175 mm (köşe kesim şablonu)</i>
BO 078.1	<i>Corner cut-out template, large size out of cut-out: 45x350 mm</i>
BO 078.2	<i>Template for lateral cut-outs size of cut-out: min. 40x10 mm max. 240x100 mm</i>
BO 078.5	<i>Radius template with 2 suction pads</i>
BO 100.0	<i>SILBERSCHNITT glass cutter with wooden handle (tahta saplı çelik uçlu camcı elması)</i>
BO 101.0	<i>SILBERSCHNITT wheel turret with 6 steel wheels (camcı elması yedek kafası)</i>
BO 102.0	<i>SILBERSCHNITT steel wheels in plastic container (yedek çelik uç plastik kutuda)</i>
BO 102.1	<i>SILBERSCHNITT steel wheels on needle in bag (yedek uçlar plastik torbada)</i>
BO 110.0	<i>SILBERSCHNITT glass cutter heavy duty model</i>

BO 200.1	<i>DIAMANTOR glass cutter wooden handle</i>
BO 2000.M	<i>Oil glass cutter SILBERSCHNITT 2000 Master, 155°, for cutting shapes(gazlı camcı elması şekilli kesimler için)</i>
BO 2000.P	<i>Oil glass cutter SILBERSCHNITT 2000 Power, 158° for glass thicker than 12 mm (yağlı cam keser 12 mm den daha kalın camlar için)</i>
BO 2000.S	<i>Oil glass cutter SILBERSCHNITT 2000 Standard, 145° for glass up to 6 mm (gazlı cam elmas 6 mm'e kadar cam kesimleri için)</i>
BO 2004.0	<i>SILBERSCHNITT 2000 glass cutter with Toplife cutting wheel, plastic handle</i>
BO 2045.0	<i>SILBERSCHNITT transverse handle f.oil glass cutters w. Metal handle 4000.0+2000.S/M/P</i>
BO 230.0	<i>DIAMANTOR glass cutter, all-metal</i>
BO 23 01	<i>Felt pad, 500x600 mm for UV lamps, light-absorbing</i>
BO 2449.0	<i>SILBERSCHNITT 2000 wheel holder, 120° (yedek gazlı elmas kafaları) 2 – 3 mm</i>
BO 2449.1	<i>SILBERSCHNITT 2000 wheel holder, 127° (yedek kesim kafası) 2 – 4 mm</i>
BO 2449.10	<i>wheel holder set 2000 with 10 different wheel angles (farklı açılarda yedek kafa seti)</i>
BO 2449.12	<i>wheel holder set 2000 with 3 different cutting angles (145°, 155°, 158°)</i>
BO 2449.2	<i>SILBERSCHNITT 2000 wheel holder, 135° (yedek kesme kafası) 2 – 6 mm</i>
BO 2449.3	<i>SILBERSCHNITT 2000 wheel holder, 140° (yedek kesim kafası) 4 – 8 mm</i>
BO 2449.4	<i>SILBERSCHNITT 2000 wheel holder, 145° (yedek kesim kafası) 4 – 8 mm</i>
BO 2449.5	<i>SILBERSCHNITT 2000 wheel holder, 150° (yedek kesim kafası) 4 – 8 mm</i>
BO 2449.6	<i>SILBERSCHNITT 2000 wheel holder, 155° (yedek kesim kafası) 4 – 8 mm</i>
BO 2449.7	<i>SILBERSCHNITT 2000 wheel holder, 157° (yedek kesim kafası) 4 – 8 mm</i>
BO 2449.8	<i>SILBERSCHNITT 2000 wheel holder, 160° (değışir kesim kafası) 4 – 8 mm</i>
BO 2449.9	<i>SILBERSCHNITT 2000 wheel holder, 165° (değıştirilebilir kesim kafası) 4 – 8 mm</i>
BO 2511.0	<i>SILBERSCHNITT circle cutter 2000, for up to Ø60 cm</i>
BO 2511.1	<i>SILBERSCHNITT circle cutter 2000, for Ø24"</i>
BO 2514.0	<i>SILBERSCHNITT circle cutter 2000, for up to Ø120 cm</i>
BO 2514.1	<i>SILBERSCHNITT circle cutter 2000, for Ø48"</i>
BO 2516.0	<i>SILBERSCHNITT circle cutter 2000, for up to Ø200 cm</i>
BO 2516.1	<i>SILBERSCHNITT circle cutter 2000, for Ø80"</i>
BO 2522.0	<i>Segment cutter system 2000 for radii of 16-300 cm</i>
BO 2550.0	<i>Circle and oval cutter system 2000, Ø22-122 cm</i>
BO 2550.1	<i>Circle and oval cutter system 2000, with inch scale</i>
BO 2551.0	<i>Extension kit for 2550.0 up to Ø182 cm</i>

BO 2551.1	<i>Extension kit for 2550.1 with inch scale</i>
BO 260.0	<i>DIAMANTOR glass cutter, all metal with one carbide wheel</i>
BO 2720.0	<i>Thick glass cutting sledge system 2000</i>
BO 2740.0	<i>Thick glass cutting kit in case (kalın cam kesme kiti)</i>
BO 320.0	<i>JOBO glass cutter, wooden handle (JOBO cam kesici, ahşap saplı)</i>
BO 360.0	<i>JOKRA glass cutter, wooden handle (JOKRA camkeser, tahta saplı)</i>
BO 400.0	<i>SILBERSCHNITT carbide glass cutter, wooden handle (karbid uçlu)</i>
BO 4000.0	<i>SILBERSCHNITT oil glass cutter 4000 with brass handle, wide cutting head</i>
BO 4000.0E	<i>SILBERSCHNITT oil glass cutter 4000 with brass handle, wide cutting head, individually packed</i>
BO 4000.0EA	<i>SILBERSCHNITT oil glass cutter 4000 with brass handle, wide cutting head ACTIVE CUTTING HEAD</i>
BO 4000.1	<i>SILBERSCHNITT oil glass cutter 4000 with brass handle, narrow cutting head</i>
BO 4000.1E	<i>SILBERSCHNITT oil glass cutter 4000 with brass handle, narrow cutting head individually packed</i>
BO 4001.0	<i>SILBERSCHNITT oil glass cutter 4000, with plastic handle, wide cutting head</i>
BO 4001.0E	<i>SILBERSCHNITT oil glass cutter 4000 with plastic handle, wide cutting head, packed individually</i>
BO 4001.1	<i>SILBERSCHNITT oil glass cutter 4000, with plastic handle, narrow cutting head</i>
BO 4001.1E	<i>SILBERSCHNITT oil glass cutter 4000 with plastic handle, narrow cutting head, individually packed</i>
BO 401.135	<i>SILBERSCHNITT-HM turret with carbide cutting wheel 135°</i>
BO 4010.0	<i>SILBERSCHNITT cutting head for oil glass cutter 4000.0/4001.0</i>
BO 4010.1	<i>SILBERSCHNITT cutting head for oil glass cutter 4000.1/4001.1</i>
BO 4010.3	<i>SILBERSCHNITT cutting head for oil glass cutter 4000.0EA wide head ACTIVE CUTTING WHEEL</i>
BO 402B135	<i>SILBERSCHNITT carbide wheel BASIC 5,0x1,0x1,3 mm 135°</i>
BO 410.0	<i>SILBERSCHNITT-HM carbide glass cutter with plastic handle</i>
BO 415.0	<i>Wheel holder with 1 carbide micro wheel, shaft 5 mm Ø</i>
BO 441.0	<i>SILBERSCHNITT oil glass cutter with swivelling cutting head</i>
BO 441.2	<i>SILBERSCHNITT oil glass cutter with fixed cutting head</i>
BO 447.8	<i>SILBERSCHNITT oil glass cutter narrow head, brass handle</i>
BO 448.8	<i>SILBERSCHNITT oil glass cutter wide head, brass handle</i>
BO 50 001 01	<i>Glass carrying device "Tragboy", 1 handle</i>
BO 50 001 02	<i>Glass carrying device "Tragkuli", 2 handles</i>
BO 50 001 07	<i>Glass lifting pliers f.1000 kg for 3-38 mm glass thickness</i>

BO 50 001 08	<i>Replacement rubber lining, 1 set=4 pc. f. 1 pair Tragboy</i>
BO 50 001 11	<i>Replacement rubber lining, 1 set=4 pc. f. 1 pair Tragkuli</i>
BO 50 001 20	<i>Clamping carriage f.transport of sheet metarial,w.distance inserts,fixation belt and adjustable rod</i>
BO 50 004 03	<i>Diamond drill Ø3 mm (elmas cam delme ucu)</i>
BO 50 004 04	<i>Diamond drill Ø4 mm (elmas delme uçları)</i>
BO 50 004 05	<i>Diamond drill Ø5 mm (elmas delme ucu)</i>
BO 50 004 06	<i>Diamond drill Ø6 mm (elmas delik ucu)</i>
BO 50 004 07	<i>Diamond drill Ø7 mm (elmas delik açma ucu)</i>
BO 50 004 08	<i>Diamond drill Ø8 mm (elmas uç)</i>
BO 50 004 09	<i>Diamond drill Ø9 mm (elmas cam delme ucu)</i>
BO 50 004 10	<i>Diamond drill Ø10 mm (elmas cam delme ucu)</i>
BO 50 004 11	<i>Diamond drill Ø11 mm (elmas cam delme ucu)</i>
BO 50 004 12	<i>Diamond drill Ø12 mm (elmas cam delme ucu)</i>
BO 50 004 13	<i>Diamond drill Ø13 mm (elmas cam delme ucu)</i>
BO 50 004 14	<i>Diamond drill Ø14 mm (elmas cam delme ucu)</i>
BO 50 004 15	<i>Diamond drill Ø15 mm (elmas cam delme ucu)</i>
BO 50 004 16	<i>Diamond drill Ø16 mm (elmas cam delme ucu)</i>
BO 50 004 17	<i>Diamond drill Ø17 mm (elmas cam delme ucu)</i>
BO 50 004 18	<i>Diamond drill Ø18 mm (elmas cam delme ucu)</i>
BO 50 004 19	<i>Diamond drill Ø19 mm (elmas cam delme ucu)</i>
BO 50 004 20	<i>Diamond drill Ø20 mm (elmas cam delme ucu)</i>
BO 50 004 21	<i>Diamond drill Ø21 mm (elmas cam delme ucu)</i>
BO 50 004 22	<i>Diamond drill Ø22 mm (elmas cam delme ucu)</i>
BO 50 004 23	<i>Diamond drill Ø23 mm (elmas cam delme ucu)</i>
BO 50 004 24	<i>Diamond drill Ø24 mm (elmas cam delme ucu)</i>
BO 50 004 25	<i>Diamond drill Ø25 mm (elmas cam delme ucu)</i>
BO 50 004 26	<i>Diamond drill Ø26 mm (elmas cam delme ucu)</i>
BO 50 004 27	<i>Diamond drill Ø27 mm (elmas cam delme ucu)</i>
BO 50 004 28	<i>Diamond drill Ø28 mm (elmas cam delme ucu)</i>
BO 50 004 29	<i>Diamond drill Ø29 mm (elmas cam delme ucu)</i>

BO 50 004 30	<i>Diamond drill Ø30 mm (elmas cam delme ucu)</i>
BO 50 004 35	<i>Diamond drill Ø35 mm (elmas cam delme ucu)</i>
BO 50 004 40	<i>Diamond drill Ø40 mm (elmas cam delme ucu)</i>
BO 50 004 45	<i>Diamond drill Ø45 mm (elmas cam delme ucu)</i>
BO 50 004 50	<i>Diamond drill Ø50 mm (elmas cam delme ucu)</i>
BO 50 004 55	<i>Diamond drill Ø55 mm (elmas cam delme ucu)</i>
BO 50 004 60	<i>Diamond drill Ø60 mm (elmas cam delme ucu)</i>
BO 50 004 65	<i>Diamond drill Ø65 mm (elmas cam delme ucu)</i>
BO 50 004 70	<i>Diamond drill Ø70 mm (elmas cam delme ucu)</i>
BO 50 004 99	<i>Vitrified sharpening stone for diamond drills</i>
BO 50 028 00	<i>Cutting fluid for thick glass 1 litre (kalın camlar için cam kesim yağı, gazı, sıvısı)</i>
BO 50 028 10	<i>Dispenser for cutting fluid, empty</i>
BO 50 055 00	<i>Glazier's diamond, for glass thickness 3-12 mm</i>
BO 50 075 00	<i>Glass carrying gloves, size 11 with canvas gauntlet (cam taşıma eldiveni)</i>
BO 50 075 01	<i>Glass carrying gloves, size 11 with knitted gauntlet (cam tutma eldivenleri)</i>
BO 50 075 12	<i>Abrasive diamond hand pad, firm grinding area, grit 120</i>
BO 50 077 00	<i>Hand protection lap with thumb hole (el koruma pedi)</i>
BO 50 077 01	<i>Hand protection lap, on roll, approx. 9,2 m x 130 mm x 1,6 mm (el koruma lastiği)</i>
BO 50 077 02	<i>Hand protection lap with slit 150x220x3 mm (camcı el koruma)</i>
BO 50 079 22	<i>Diamond hand seaming tool, diapad, red, 100x55 mm N74, grit 220</i>
BO 50 079 36	<i>Diamond hand seaming tool, diapad, yellow, 100x55 mm N40, grit 360</i>
BO 50 080 20	<i>Glass breaking pliers, 200 mm long, jaw width 24 mm, black, Parallel Jaws at 18 mm (cam kırma pense)</i>
BO 50 081 18	<i>Glass breaking pliers, black, jaw width 24 mm, 180 mm long Parallel Jaws at 16 mm (cam kırma penseleri)</i>
BO 50 081 20	<i>Glass breaking pliers, blue, 200 mm long, jaw width 18 mm Parallel Jaws at 22 mm (camcı koparma kerpeteni)</i>
BO 50 082 18	<i>Glass breaking pliers, black, 180 mm long, jaw width 14 mm (camcı kerpetenleri)</i>
BO 50 082 20	<i>Glass breaking pliers, blue, 200 mm long, jaw width 20 mm (cam kırma kerpeten ve pense setleri)</i>
BO 50 082 25	<i>Glass breaking pliers, black, 216 mm long, jaw width 25 mm</i>
BO 50 083 26	<i>Glass grozing pliers "Vienna" 160 mm long, lacquered black</i>
BO 50 083 27	<i>Glass grozing pliers "Vienna" 190 mm long, lacquered black</i>
BO 50 088 00	<i>Cut running pliers, lacquered, 200 mm long, jaw width 24 mm</i>

BO 50 095 20	<i>Glass nippers, lacquered, 200x15 mm</i>
BO 50 655 00	<i>Cross carrying strap 520 cm long, 8 mm wide</i>
BO 50 656 00	<i>Carrying strap, 165 cm long with hand slings</i>
BO 50 656 01	<i>Carrying strap, 165 cm long, 8 mm wide, with hand slings</i>
BO 50 510.0	<i>SILBERSCHNITT circle cutter for circles up to 40 cm Ø</i>
BO 50 510.1	<i>SILBERSCHNITT circle cutter for circles up to 17 cm Ø</i>
BO 50 510.5	<i>SILBERSCHNITT circle cutter 40 cm Ø, w.brass cutting head</i>
BO 50 510.51	<i>SILBERSCHNITT circle cutter 40 cm/17", brass cutting head</i>
BO 51 022 00	<i>Lead knife with leaded end blade length 100 mm</i>
BO 51 023 00	<i>Lead putty knife, blade length 100 mm</i>
BO 51 025 00	<i>Lead knife, crescent shape, wooden handle, blade 100 mm</i>
BO 51 025 01	<i>Lead knife "Don Carlos", crescent shape, blade 100 mm</i>
BO 51 051 50	<i>Cork protective pads 3x18x18 mm, 10.000 pieces per roll</i>
BO 51 051 60	<i>Cork protective pads 4x18x18 mm 10.000 pieces per roll</i>
BO 511.0	<i>SILBERSCHNITT circle cutter for circles up to 60 cm Ø (daire cam keser)</i>
BO 511.1	<i>SILBERSCHNITT circle cutter for circles up to 24"Ø(60 cm) (daire cam keserler)</i>
BO 511.5	<i>SILBERSCHNITT circle cutter 60 cm Ø, with brass cutt.head (daire cam keser)</i>
BO 511.51	<i>SILBERSCHNITT circle cutter 60 cm/24", brass cutting head (daire cam kesici)</i>
BO 513.0	<i>SILBERSCHNITT circle cutter for circles up to 100 cm Ø (daire cam keser)</i>
BO 513.1	<i>SILBERSCHNITT circle cutter for circles up to 40"Ø (100 cm) (daire cam keser)</i>
BO 513.5	<i>SILBERSCHNITT circle cutter 100 cm Ø, with brass cutt.head (daire cam kesimi)</i>
BO 513.51	<i>SILBERSCHNITT circle cutter 100 cm/40", brass cutting head (daire cam kesme)</i>
BO 514.0	<i>SILBERSCHNITT circle cutter for circles up to 120 cm Ø (daire cam keser)</i>
BO 514.1	<i>SILBERSCHNITT circle cutter f. circles up to 48"(120 cm) (daire cam keser)</i>
BO 514.5	<i>SILBERSCHNITT circle cutter 120 cm Ø, with brass cutt.head (daire cam keser)</i>
BO 514.51	<i>SILBERSCHNITT circle cutter 120 cm/48", brass cutting head (daire cam keseri)</i>
BO 51 405 09	<i>Flexible template 90 cm</i>
BO 51 405 18	<i>Flexible template 180 cm</i>
BO 515.0	<i>SILBERSCHNITT circle cutter for circles up to 160 cm Ø</i>
BO 515.1	<i>SILBERSCHNITT circle cutter f. circles up to 64"Ø(160 cm)</i>

BO 515.5	<i>SILBERSCHNITT circle cutter 160 cm Ø, with brass cutt.head</i>
BO 515.51	<i>SILBERSCHNITT circle cutter 160 cm/64", brass cutting head</i>
BO 516.0	<i>SILBERSCHNITT circle cutter for circles up to 200 cm Ø</i>
BO 516.1	<i>SILBERSCHNITT circle cutter for circles up to 80"Ø (200 cm)</i>
BO 516.5	<i>SILBERSCHNITT circle cutter 200 cm Ø, with brass cutt.head</i>
BO 516.51	<i>SILBERSCHNITT circle cutter 200 cm/80", brass cutting head</i>
BO 51 621 00	<i>Putty knife, Swedish design</i>
BO 51 622 00	<i>Putty knife, spear point, non-continuos blade</i>
BO 51 626 00	<i>Putty knife, with blunt, curved blade, 18 mm wide</i>
BO 61 640 00	<i>Hacking knife, 95x30 mm with plastic handle</i>
BO 51 646 00	<i>TGI Merlin, tempered glass detector</i>
BO 51 646 10	<i>Tin side detector for float glass</i>
BO 51 647 00	<i>Merlin Laser, glass thickness measuring device with laser diode, German scale</i>
BO 51 647 01	<i>Merlin Laser, glass thickness measuring device with laser diode, English scale</i>
BO 51 647 30	<i>Solar energy indicator with digital display W/m²</i>
BO 51 648 00	<i>Glass thickness gauge 240x160 mm, plastic Glass 0 Meter</i>
BO 51 649 00	<i>Glass thickness gauge 160x66x5 mm</i>
BO 51 650 00	<i>Block lever made of wood 70 mm wide, 280 mm long</i>
BO 51 653 00	<i>Glazing shovel, plastic,blue 72 mm wide, 280 mm long</i>
BO 51 654 00	<i>Glazing shovel,plastic blue, 66 mm wide, with wooden handle</i>
BO 51 655 01	<i>Glazier's knife, 250 mm long blade, stainless steel, with plastic handle</i>
BO 518.0	<i>Cutting head for circle cutters 510.0-516.0</i>
BO 518.1	<i>Cutting head for circle cutters 530.0+532.0</i>
BO 518.2	<i>Cutting head with 1 micro carbide wheel, 2.5 mm Ø</i>
BO 518.5	<i>Cutting head, brass f.circle cutters 510.5-516.5</i>
BO 519.0	<i>Replacement suction pad for circle cutters 510.0-516.0 (with brass base)</i>
BO 519.5	<i>Replacement suction pad for circle cutters 510.0-516.0 (with plastic base)</i>
BO 52 093 00	<i>UV adhesive B 665-0, 100 g bottle (uv yapıştırıcı)</i>
BO 52 093 02	<i>UV adhesive B 682-0, 100 g bottle (uv yapıştırıcısı)</i>
BO 52 093 19	<i>Set of 5 applicator needles (pink,green,blue,orange,amber)</i>

BO 52 093 21	UV-adhesive B 665-0, 250 g bottle (uv yapıştırıcıları)
BO 52 093 23	UV-adhesive B 682-0, 250 g bottle (uv yapıştırıcılar)
BO 52 093 24	UV-adhesive B 665-0, 1000 g bottle (u.v. yapıştırıcı)
BO 52 093 26	UV-adhesive B 682-0, 1000 g bottle (uv yapıştırıcı)
BO 52 093 27	UV-adhesive B 665-0, 20 g bottle (u.v yapıştırıcı)
BO 52 093 29	UV-adhesive B 682-0, 20 g bottle (uv ,lazer, yapıştırıcı)
BO 52 093 31	UV-adhesive set with 5x20 g bottles (red,green,yellow,blue,black)
BO 52 093 60	UV adhesive "Lamifix" B678-0 red bottle with 85 g (laser yapıştırma)
BO 52 093 62	UV adhesive "Lamifix" B678-0 1 liter (ultra-viole yapıştırıcı)
BO 52 093 70	UV adhesive B 690-0 green bottle with 85 g high resistance to humidity (neme dayanıklı)
BO 52 093 72	UV adhesive B 690-0, 1 liter resistant to humidity
BO 52 094 04	UVAHAND 250 UV hand lamp 230V 250 Watt, with filter H 1, for curing UV adhesives, with time meter
BO 52 094 07	Fluorescent tube 250F for art.-no. 5209404, l=70 mm (florasan lamba)
BO 52 094 16	UV hand lamp, 110 volts, 60Hz with filter H1 (ultraviole florasan lamba)
BO 52 094 18	Plastic case, blue 450x360x140 mm
BO 52 094 19	Plastic case, blue 400x175x130 mm
BO 52 094 50	UV hand lamp H9, 220V/50 HZ integrated transformer in plug (uv el lambası)
BO 52 094 51	Fluorescent tube for UV lamp H9, White-Light (ultra viole florasan lamba)
BO 52 094 70	UVA Star "Light", 230 volts effective work length 570 mm
BO 52 094 71	Fluorescent tube, 45 watts for UVA-Star "Light", 230V+110V
BO 52 094 75	UVA Star "Light", 110 v/60 hz. Effective work length 570 mm
BO 521.0	SILBERSCHNITT circle cutter for thick glass, 120 cm Ø
BO 521.1	SILBERSCHNITT circle cutter for thick glass, 180 cm Ø
BO 521.5	SILBERSCHNITT circle cutter for thick glass cutter no.521.0 and 521.1
BO 52 193 40	UV adhesive set for surface bonding, 8 bottles of 25 g, red, yellow, green, blue, pink, purple, bronze, clear
BO 530.0	Circle cutter for circles up to 30 cm Ø
BO 530.1	Circle cutter for circles up to 11" (30 cm)
BO 53 006 23	Electronic two speed impact drilling mach., 220 V, 850 W
BO 53 006 24	Electronic two-speed impact drilling machine with PRCD safety switch, 230V, 850 watt
BO 53 009 00	"Scratch-A-Way", 230V scratch removal system incl.plastic case and accessories (çizik giderme seti)

BO 53 009 02	"Scratch-A-Way" pneumatic scratch removal system incl.plastic case and accessories (camda çizik giderici olarak kullanılan makine seti)
BO 532.0	Circle cutter for circles up to 60 cm Ø
BO 532.1	Circle cutter for circles up to 23"(60 cm)
BO 533.0	Circle cutter for small circles up to 9 cm Ø
BO 534.0	Circle cutter for repetitive cuts, 10-185 mm Ø
BO 536.0	SILBERSCHNITT roll-up workplace
BO 536.1	SILBERSCHNITT Geomaster cutting system for angles
BO 541.5	Circle and oval cutt. machine 2.5-40 cm Ø (daire ve oval kesim aparatı, makinesi)
BO 55 003 02	Professional kit f. UV bonding with UV lamp 52 094 70 UVA Star "Light" 570 mm
BO 55 003 03	Professional kit f. UV bonding with UV lamp 52 094 70 UVA Star "Light" 570 mm export kit
BO 55 003 04	Professional kit f. UV bonding with UV lamp 52 094 75 110V UVA Star "Light" 570 mm
BO 55 003 10	UV Lamp, 230 Volt, 100 Watt, with filter (filtreli UV lambalar)
BO 55 003 11	Replacement fluorescent tube UV 150 F, for Art. 5500310 (yedek floresan tüp)
BO 578.0	Tool kit for corner cut-outs, for 3-15 mm glass thickness
BO 578.2	Tool kit for lateral cuts-outs
BO 580.0	Speed Cutter with cutting head, 680 mm (hızlı kesici)
BO 580.1	Speed Cutter with cutting head, 1280 mm (hızlı keser)
BO 580.2	Speed Cutter with cutting head, 1880 mm (hızlı kesici)
BO 580.5	Complete cutting head for Speed Cutter Spare part of 580.0/1/2
BO 580.6	Guide roller for Speed Cutter
BO 600.0BL	VERIBOR blue line suction lifter, 1 cup (vantuz)
BO 600.24	VERIBOR Suction holder 1 cup with ball joint
BO 600.5	VERIBOR suction lifter 1 suction cup,alu,pad 90 mm Ø
BO 600.51	Replacement pad for suction lifter 600.5
BO 601	VERIBOR suction lifter with priming pump, in case
BO 601.GRAV	Engraving for 601.1BL
BO 601.01	Suction pad for art.601
BO 601.1BL	Pump activated suction lifter with pressure gauge VERIBOR blue in line
BO 601.100	Priming pump, battery operated for pump suction lifter
BO 601.101	Battery pack for priming pump 601.100 230V 50Hz 12-24V DC

BO 601.102	Battery pack for priming pump 601.100 120V 60Hz 12-24V DC
BO 601.110	Suction lifter set(battery pump unit+suction lifter 601 in carry case)
BO 602.0BL	VERIBOR blue suction lifter, 2 suction cups, aluminium (vantuz)
BO 602.1	VERIBOR suction lifter 2 suction cups, plastic (vantus)
BO 602.11	VERIBOR suction lifter as #602.1, stainless (vantuzlar)
BO 602.2	VERIBOR suction lifter with 2 swivelling heads (veribor vantuzları)
BO 602.22	VERIBOR suction lifter with articulated joints (kaldırma vantuzu)
BO 602.3	VERIBOR suction lifter, with articulated joint, stainless steel execution, self-attaching
BO 602.4BL	VERIBOR blue line suction lifter, 2 suction cups, aluminium
BO 603.0BL	VERIBOR blue line suction lifter, 3 suction cups, aluminium
BO 609.0	VERIBOR Suction lifter, all rubber, 80 mm Ø
BO 610.BL	Suction pad, complete, for Blue Line suction lifter 600.0BL incl. bow-type handle
BO 614.0BL	Suction pad, complete, for Blue Line suction lifter
BO 630.2	VERIFIX angle suction holder, short, 90°, 200x127 mm
BO 630.3	Verifix angle suction lifter, universal, 90° angular dimensions 400x280 mm
BO 633.1	VERIFIX angle suction holder 90°
BO 636.0	Corner clamp for glass of 3-10 mm thickness
BO 636.1	Clamping device for 6-19 mm glass
BO 637.1	Small eccentric suction stop with suction cup 55 mm Ø
BO 637.2	Eccentric suction stop with suction cup, Ø36,5 mm
BO 638.9	VERIFIX angle suction holder set with priming pump
BO 6600.01	Tappet for Art.No.601 and 601.45
BO 670.0	Straight edge holder Ø55 mm, height 75 mm
BO 670.5	Suction holder for flexible cutting template
BO 6827.02	Valve housing f.Art.No.601 and 601.45
BO 6836.01	Handle with bracket for Art.No 601 and 601.45
BO 700.0	SILBERSCHNITT glass breaking pliers, 200 mm long
BO 702.0	Cut running glass pliers for thick glass up to 25 mm
BO 703.01	Glass nibbling pliers w.spring joint and splinter bag
BO 704.0	Cut running glass pliers for glass thicknesses of 6-15 mm

BO 705.0	<i>JOBO glass breaking device (cam kırma aparatı)</i>
BO 706.0	<i>Cut opener (cam koparma , açma aleti)</i>
BO 710.0	<i>Glass tapper, spring driven, for thick glass 10-20 mm</i>
BO 710.1	<i>Glass tapper, spring driven, for thick glass 15-25 mm</i>
BO 719.0	<i>Scalloping tool for edge decoration (deniz tarağı şekilli kenar kırıcı pahlayıcı)</i>
BO 719.1	<i>Scallop bit for scalloping tool</i>
BO 719.5	<i>Positioning aid for scalloping tool 719.0</i>
BO 760.2	<i>Water feed chuck, plastic for drills with 1/2" thread</i>
BO 760.5	<i>Drill stand with 3 suction cups</i>
BO 760.6	<i>Drill stand with 3 suction cups, water chuck and 2 speed impact drilling machine</i>
BO 79.12	<i>Water feed chuck, with Morse taper MK2</i>